



101 559733

CofC

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being deposited with the U.S. Postal Service on the date shown below with sufficient postage as First Class Mail, in an envelope addressed to: Attention: Certificate of Correction Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Dated: 2/20/2007

Signature: 

(Mike Navarro)

Docket No.: 392458104US2
(PATENT)**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Letters Patent of:
Tye Gribb

Patent No.: 7,157,702

Issued: January 2, 2007

For: HIGH RESOLUTION ATOM PROBE**REQUEST FOR CERTIFICATE OF CORRECTION
PURSUANT TO 37 CFR 1.322**

Attention: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Upon reviewing the above-identified patent, Patentee noted a typographical error which should be corrected.

In the Specification:

In Column 6, line 52, "detector 292" should be --detector 202--;

The error was not in the application as filed by applicant; accordingly no fee is required.

Transmitted herewith is a proposed Certificate of Correction effecting such amendment. Patentee respectfully solicits the granting of the requested Certificate of Correction.

Certificate
FEB 27 2007
of Correction 3 2 8 2007

Patent No.: 7,157,702

Docket No.: 392458104US2

Applicant believes no fee is due with this request. However, if a fee is due, please charge our Deposit Account No. 50-0665, under Order No. 392458104US2 from which the undersigned is authorized to draw.

Dated:

Respectfully submitted,

By 

Chun M. Ng

Registration No.: 36,878

PERKINS COIE LLP

P.O. Box 1247

Seattle, Washington 98111-1247

(206) 359-8000

(206) 359-7198 (Fax)

Attorney for Applicant

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**Page 1 of 1

PATENT NO. : 7,157,702
APPLICATION NO. : 10/559,733
ISSUE DATE : January 2, 2007
INVENTOR(S) : Tye Gribb

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 6

Line 52, "detector 292" should be --detector 202--;

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Chun M. Ng
PERKINS COIE LLP
P.O. Box 1247
Seattle, Washington 98111-1247

1

FEB 28 2007